

VIRGINIA FREEDOM OF INFORMATION ADVISORY COUNCIL COMMONWEALTH OF VIRGINIA

ELECTRONIC MEETINGS PUBLIC COMMENT FORM

WE NEED YOUR HELP--Please give us your feedback regarding how meetings using electronic communications technology compare to traditional meetings where everyone is present in the same room at the same time.

1. Name of the public body holding the meeting:State Water Control Board/Department of Environmental Quality
2. Date of the meeting:June 29 2020
3. What are your overall thoughts or comments about this meeting?I felt like this process was undemocratic and inappropriate. It excluded residents who don't have broadband or strong cell service. And I was sooo frustrated that I had to spend an entire workday on a call and then, at the end of the day, it was clear the Water Board was entirely uninterested in my comment—they dismissed my concerns out of hand.
4. Where did you attend this meeting main meeting location OR from a remote location? (circle one)
5. Technology used for the meeting (audio only or audio/visual, devices and/or software usedplease be as specific as possiblefor example, speakerphone, iPad, Skype, WebEx, Telepresence, etc.):GoToWebinar audio and visual of public body
6. Were you able to hear everyone who spoke at the meeting (members of the body and members of the public)?
Poor Excellent 1 2 3 4 5
COMMENTThe DEQ microphone was very poor.
7. How easy was it for you to obtain agenda materials for this meeting? Fasy Difficult
Easy Difficult 1 2 3 4 5
COMMENTIt was released online too late
8. Could you hear/understand what the speakers said or did static, interruption, or any other technological problems interfere? Easy Difficult 1 2 3 4 5
COMMENT_ 9. If the meeting used audio/visual technology, were you able to see all of the people who spoke?

	Poorl	y 2	3	4	Clearl 5	у
	COMMENT		The video footage of the DEQ office poor quality			
10. I	f there	were a	ny pre	esentati	ons (Pov	werPoint, etc.), were you able to hear and see them?
	Poorl				Clearl	· · · · · · · · · · · · · · · · · · ·
	1	2	3	4	<mark>5</mark>	
	COM	MEN'	Γ			
11. V	Were th	e men	ıbers a	s attent	tive and	did they participate as much as you would have expected?
	Less				More	
	1	2	3	4	5	
	COM	MEN'	Γ]	I can't l	believe tl	hat the Water Board ignored/dismissed all commenters_
12. V	Vere the	ere dif	ference	es you 1	noticed i	n how the members interacted?
				embers	present:	
	Very 1	Differe				No Difference
		1	2	3		5
				rticipat	ing from	other locations:
	very.	Differe 1	ent 2	3	1	No Difference 5
	W:+ h	_	_	3	4	S
		the pu Differe				No Difference
	very.	1	2	3	4	5
	COM	ı MFN'	_	_	_	e serious problems with the hearings held in person too,
						take off time from work—the goal for the DEQ is to minimize
			_	_		ence
13 Г	oid vou	feel th	e tech	nology	was a he	elp or a hindrance?
10. L	Hinde		c teen	nology	was a m	Helped
	1111100	1	2	3	4	5
		-	_		-	
	COM	MEN'	Γ			
14. H		uld yo	u rate	the ove		lity of this meeting?
	Poor	0	2	,	Excell	ent
	1	2	3	4	5	
	001	3 (T) Y	т,		, •	
	COM	MEN'	l'	In addit	tion to m	y concerns above, I was frustrated that the meeting began an

COMMENT____In addition to my concerns above, I was frustrated that the meeting began an HOUR later than scheduled. So I spent an hour of my workday, during an extremely stressful time (pandemic), on the phone, wondering if there was something wrong with my connection, when I have family and professional obligations I could have been attending to. I'd be more forgiving of this if the DEQ wasn't so strict about only allotting 3 minutes to each speaker, and making commenting such a major and exclusionary hassle. For you to guard the time of the DEQ and to completely disregard the time of the impacted public is the height of hypocrisy.

THANK YOU. Please send your completed form by mail, facsimile or electronic mail to the FOIA Council using the following contact information:

Virginia Freedom of Information Advisory Council General Assembly Building, Second Floor 201 North 9th Street, Richmond, Virginia 23219 foiacouncil@dls.virginia.gov/Fax: 804-371-8705/Tele: 866-448-4100